


atriadesigns.ca




premier outdoor living • solar shading • cladding products

(604) 428 1818
sales@atriadesigns.ca

MODEL



3M Square



3.5M Round

FRAME COLORS

Ral 9016

Papyrus white

Ral 1013

Beige Limestone

Ral 1019

Grey Beige

Ral 7006

Earth Clay

Ral 9005

Black

☒ VEFRAMEPAPY_UX

☒ VEFRAME350ROPAPY_UX

VEFRAMELIME_UX

VEFRAME350ROLIME_UX

VEFRAMEGREYB_UX

VEFRAME350ROGREYB_UX

VEFRAMEEARTH_UX

VEFRAME350ROEARTH_UX

VEFRAMEBLACK_UX

VEFRAME350ROBLACK_UX

FABRIC COLORS


Natural




Canvas



Grey



Taupe



☒ VE300COVERNAT_UX

☒ VE350ROCOVERNAT_UX

VE300COVERCANV_UX_R

VE350ROCOVERCANV_UX

VE300COVERGREY_UX

VE350ROCOVERGREY_UX


VE300COVERTAUPE_UX

VE350ROCOVERTAUPE_UX

Marble



Sand



Flanelle



Black



☒ VE300COVERMARB_UX

☒ VE350ROCOVERMARB_UX

VE300COVERSAND_UX_R

VE350ROCOVERSAND_UX

VE300COVERFLAN_UX

VE350ROCOVERFLAN_UX

VE300COVERBLACK_UX


VE350ROCOVERBLACK_UX

BASES


TOPPLATE



RAL 9018 - Papyrus white
PAPYBASETOPPLATEUX




RAL 1013 - Beige limestone
LIMEBASETOPPLATEUX




RAL 1019 - Grey Beige
GREYBBASETOPPLATEUX



RAL 7006 - Earth Clay
EARTHBASETOPPLATEUX




RAL 9005 - Black
BLACKBASETOPPLATEUX




Thermo poplar*
WOODBASETOPPLATEUX


BASE FRAME




RAL 9018 - Papyrus white
PAPYBASEFRAMEUX



RAL 1013 - Beige limestone
LIMEBASEFRAMEUX



RAL 1019 - Grey Beige
GREYBBASEFRAMEUX



RAL 7006 - Earth Clay
EARTHBASEFRAMEUX




RAL 9005 - Black
BLACKBASEFRAMEUX

*Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

DIMENSIONS

VERSA PX



		A	B	C	D	E	F	G	H	I	J	K
		cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft	cm/ft
☒	3 x 3 m / 9' 10" x 9' 10"	365/11' 12"	195/6' 5"	185/6' 1"	260/8' 6"	280/9' 2"	128/4' 2"	325/10' 8"	410/13' 5"	77/2' 6"	265/8' 8"	0/ 0"
⊗	3,5 m / 11' 6"	380/12' 6"	195/6' 5"	185/6' 1"	260/8' 6"	295/9' 8"	128/4' 2"	340/11' 2"	425/13' 11"	77/2' 6"	280/9' 2"	0/ 0"

DIMENSIONS BASE



Wheelset included

Recommended weight for tiles : 177 kg or 389.4 lbs

Recommended tiles Europe – 40x40x4,5 cm // USA – 16"x16"x1.75"

You need 12 tiles for the Large Tile Base UX – see manual.

Base dimensions	L x W x H cm	L x W x H ft	weight kg/lbs
Powder coated topplate	88,8x88,8x22	34.96"x34.96"x8.66"	32/70.4
Wood topplate	88,8x88,8x24	34.96"x34.96"x9.45"	32/70.4

MATERIALS




FABRIC

Colorum – 100% Acryl 260 gr/m²

Solidum – 100% Acryl 250 gr/m²

More details – see spec sheet Fabrics



RIBS

Glass fiber ribs - Ø 16mm/0.63"



POLE

Aluminum, powder coated

RAL 9018 Papyrus White,

RAL 9005 Black, RAL 1013

Beige Limestone, Earth

Clay, RAL 1019 Grey Beige



HANDLES

Casted aluminum, powder coated

Stainless steel 316, polished



BASE FRAME

Galvanised steel, powder coated

RAL 9018 Papyrus White, RAL 9005

Black, RAL 1013 Beige Limestone,

Earth Clay, RAL 1019 Grey Beige



BASE TOPPLATE

Galvanised steel, powder coated

RAL 9018 Papyrus white, RAL 9005 Black, RAL 1013

Beige Limestone, Earth Clay, RAL 1019 Grey Beige

Wooden cover Thermo Poplar*

*Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

PACKAGING & TRANSPORT

Versa UX	L (cm)	W (cm)	H (cm)	Weight (kg)	L (ft)	W (ft)	H (ft)	Weight (lbs)
Umbrella box	274	37	32	32	8'11.8"	1'2.6"	1'0.6"	70
Base L UX Black/Archi	88.8	88.8	15	32 kg	2'11"	2'11"	5.9"	70.4
Base L UX Black / Archi package	95	95	20	33 kg	3'1.4"	3'1.4"	5.9"	72.6
Base L UX Sand / Safari / Latte	88.8	88.8	16.5	32 kg	2'11"	2'11"	6.5"	70.4
Base L UX Sand / Safari / Latte package	95	95	20	33 kg	3'1.4"	3'1.4"	5.9"	72.6

NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 15 and 2 years, see Warranty Sheet
- Manual included
- Wind speeds up to 5 beaufort, 30km/h, 18 mph when base is permanently fixed
- Protection cover included (Colorum Flanelle)

SAFETY STATEMENTS & WARNINGS

- Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- Close product and secure strap when not in use.
- Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.
- Do not allow children to assemble or operate product.
- Do not leave product unattended.
- Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes or any other parts of the body are clear from moving parts. Failing to do so may result in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.




__UX COLLECTION

Versa UX

Sand


MODELS

ARCHITECTURE




RAL 9018
Papyrus White

FULL BLACK




RAL 9005
Black


SAND






RAL 1013
Beige
Limestone



SAFARI




LATTE




DIMENSIONS


ARCHITECTURE / FULL BLACK / SAND / LATTE / SAFARI





ARCHITECTURE
FULL BLACK / SAND



LATTE / SAFARI




95 mm / 3.7"




+/- 2% -----		A cm/ft	B cm/ft	C cm/ft	D cm/ft	E cm/ft	F cm/ft	G cm/ft	H cm/ft	I cm/ft	J cm/ft	K cm/ft
☒	3 x 3 m / 9' 10" x 9' 10"	365/11' 12"	195/6' 5"	185/6' 1"	260/8' 6"	280/9' 2"	128/4' 2"	325/10' 8"	410/13' 5"	77/2' 6"	265/8' 8"	0/ 0"
☒	3,5 m / 11' 6"	380/12' 6"	195/6' 5"	185/6' 1"	260/8' 6"	295/9' 8"	128/4' 2"	340/11' 2"	425/13' 11"	77/2' 6"	280/9' 2"	0/ 0"

DIMENSIONS / MATERIALS SPIGOT (mm/ft)

ARCHITECTURE / FULL BLACK / SAND / SAFARI / LATTE




MATERIALS




FABRIC

Colorum - 100% Acryl 260 gr/m²
Solidum - 100% Acryl 250 gr/m²
More details - see spec sheet Fabrics



RIBS

Glass fiber ribs - Ø 16mm/0.63"




POLE

Aluminum, powder coated
RAL 9018 Papyrus White, RAL 9005 Black, RAL 1013 Beige
Limestone, Earth Clay, RAL 1019 Grey Beige



HANDLES

Casted aluminum, powder coated
Stainless steel 316, polished



ARCHITECTURE / FULL BLACK

Galvanised steel, powder coated
RAL 9018 Papyrus White and
RAL 9005 Black



BASE SAND / SAFARI / LATTE

Galvanised steel, powder coated
RAL 1013 Limestone Beige, Earth Clay, Grey Beige
Wooden cover Thermo Poplar*

*Our UX wooden covers are made of thermotreated poplar wood that has not been treated for color stability. The wood will weather with outdoor exposure and turn grey.

PACKAGING & TRANSPORT

Versa UX	L (cm)	W (cm)	H (cm)	Weight (kg)	L (ft)	W (ft)	H (ft)	Weight (lbs)
Umbrella box	274	37	32	32	8'11.8"	1'2.6"	1'0.6"	70
Base L UX Black/Archi	88.8	88.8	15	32 kg	2'11"	2'11"	5.9"	70.4
Base L UX Black / Archi package	95	95	20	33 kg	3'1.4"	3'1.4"	5.9"	72.6
Base L UX Sand / Safari / Latte	88.8	88.8	16.5	32 kg	2'11"	2'11"	6.5"	70.4
Base L UX Sand / Safari / Latte package	95	95	20	33 kg	3'1.4"	3'1.4"	5.9"	72.6

NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 10 and 2 years, please consult our warranty policy at www.umbrosa.com
- Download owner's manual (QR-code included), also available at www.umbrosa.com
- Storage bag included (Colorum Flanelle)
- Wind speeds up to 5 beaufort, 30 km/h, 18 mph when base is permanently fixed
- Tested at TU Delft

SAFETY STATEMENTS & WARNINGS

- Product is suitable for light wind and/or light rain only.
- Position product in direction of wind as recommended in user manual.
- Do not use product in inclement weather, such as strong wind, thunderstorms, heavy rain or snow, and make sure that the umbrella is closed and stored in advance.
- Never allow the umbrella to flap in the wind. This could cause personal injury, damage to personal property, damage to umbrella and/or umbrella canopy.
- Close product and secure strap when not in use.
- Do not use product without its base or unless attached to building structure, and keep umbrella secured to umbrella base or mount at all times.
- Do not use product over or near harsh chemicals or open flames.
- Place product on stable and level surface.
- Do not allow children to assemble or operate product.
- Do not leave product unattended.
- Store product indoors during winter and extreme weather conditions.
- When adjusting or assembling the umbrella or umbrella base, make sure fingers, toes or any other parts of the body are clear from moving parts. Failing to do so may result in serious injury.
- Only use Umbrosa replacement parts.
- Read owner's manual.
- Any modifications to the product or failure to follow recommended care will void the warranty.
- Wind damage is not covered under our limited warranty.