

atriadesigns.ca



premier outdoor living • solar shading • cladding products

(604) 428 1818
sales@atriadesigns.ca


Maxipro

Direttamente dai campi di regata

Poter governare così tanti metri quadri di vela con una semplice cima è davvero una sensazione unica. Maxipro è un ombrellone a palo centrale potente, elegante e dall'immagine esclusiva, il protagonista assoluto del vostro plateatico. È dotato di un sistema telescopico ad apertura autobilanciata che permette di aprire e chiudere l'ombrellone in modo facile e sicuro senza spostare gli ingombri sottostanti utilizzando semplicemente una cima di tensionamento.

Directly from the regatta fields

To manoeuvre so many square metres of sail, with a simple top, is truly a unique sensation. Maxipro is a parasol with powerful, elegant central pole, of exclusive image, the absolute protagonist of your outdoor areas. It features a telescopic system with self-balanced opening that allows opening and closing the parasol easily and safely without moving the objects below, simply using a tensioning rope.



MAXIPRO










MAXIPRO









DI SERIE



Palo centrale
Central pole



Telaio in lega di
alluminio 6005 ad alta
tenacità / High-tenacity
6005 aluminum alloy



Tele modulari
Modular canopies



Bulloneria Acciaio Inox
Stainless Steel Bolts



Fodero di custodia
Premium in PVC
Premium PVC storage case



Telescopico per chiusura
sopra i tavoli / Telescopic
system for closing above
the tables



Snodi in acciaio, nylon
Steel, nylon joints



Camino rigido
Rigid bellow



Con o senza balza
perimetrale / With or
whitout perimetrical
flounce



Collano in alluminio
saldato a tig / Collar in
tig welded aluminum



Apertura con carrucola nautica inox- carbonio e sistema di
bloccaggio (EASY BLOCK) / Opening with stainless steel-carbon
pulley and locking system (EASY BLOCK)

BASI



Da appoggio
Support base



Per fissaggio
To be fixed



Da interrare
To be buried

ACCESSORI



LED
LED System



Riscaldatori
Heaters



Pareti laterali
Side walls



Grondaie
Gutters




Applicazione logo
Logo application



MAXIPRO HP – con
apertura a manovella
e vite senza fine / with
crank opening and
endless screw



MAXIPRO HP – automatico con apertura
motorizzata / automatic with motorized opening



400 x 400	450 x 450	500 x 500	550 x 550
600 x 600*	700 x 700*	500 x 400	550 x 450
600 x 300	600 x 400*	600 x 500*	650 x 450*
650 x 500*	700 x 400*	700 x 500*	700 x 600*
800 x 600*	* Anche in versione HP: apertura automatica con comando a distanza / Also in HP Version: automatic opening with remote control		

Palo da 150 mm / 150 mm pole

700 x 700	750 x 750	800 x 600	800 x 600
900 x 600	Ø800	Ø850	

MAXIPRO

Directly from the race courses

A parasol designed to cover large surfaces in a professional setting. Specifically designed for the ho.re.ca segment. A powerful, elegant structure with an exclusive image, the absolute protagonist of your auditorium.

- Coverage of large spaces and stalls up to **49Sqm**
- Quality in materials and fine nautical finishes
- Reliable and rapid self-balancing opening and closing system

USAGE OCCASIONS



HOTEL & RESORT



RESTAURANTS & FAST FOOD



POOLS AND BEACH RESORTS



SKI & MOUNTAINS




NAUTICAL



BAR & ICECREAM SHOPS

FEATURES



Telescopic opening for closing above tables



THREADED CANVAS TECHNOLOGY with special aluminum alloy profile with nose cones that improves water and wind performance



TIG-welded aluminum rib port collars



Opening with AISI 316 **stainless steel nautical** pulley with **easy block** locking system and polyester nautical rope



High tenacity aluminum alloy frame painted with epoxy powder in white or manganese standard colours



Aluminum arm-rib joints for greater resistance and durability



MODULAR CANOPY

With interchangeable modular canvases in segments for easy replacement of even a single segment.

*Version with crank opening with worm screw available on request.
Not recommended in situations where rapid opening and closing is necessary.*



35cm perimeter **volant** available



Stainless steel bolts and nuts



Central pole in round aluminum diameter 100 mm




Premium **PVC storage case**



Curved profiles in **aluminum 6005** 57x25x2/50x20x2 Mm



Also **available tailor-made**

HEIGHT OPTIONS

SQUARED

	A	B	C	D	E
310	235	195	120	410	
313	240	205	120	450	
323	250	215	95	460	
335	245	210	68	480	
340	250	215	65	498	
340	250	215	64	498	
400	265	231	54	570	

**FRAME
COLOR**


-BI- -MA-

TYPE OF FABRIC


SUN

-ACR-



NAUTICAL HP

-RES-

RECTANGULAR

A	B	C	D	E
312	240	205	115	437
325	242	205	92	460
323	248	213	77	420
320	242	207	84	457
320	242	207	84	457

-BI- -MA-


SUN

-ACR-

NAUTICAL HP

-RES-

HEIGHT OPTIONS



SQUARED

A B C D E

500	600	8 Ribs 30 Sqm MAXI600X500	330	245	210	85	488
	600	10 Ribs 30 Sqm MAXI6X5/10	330	253	210	85	488
450	650	8 Ribs 29,25 Sqm MAXI650X450	339	255	220	94	500
	650	10 Ribs 29,25 Sqm MAXI650/10	337	255	220	90	500
500	650	10 Ribs 32.5 Sqm MAXI650X500	332	261	226	80	492
400	700	10 Ribs 28 Sqm MAXI700X400	320	253	218	74	490
500	700	10 Ribs 35 Sqm MAXI700X500	348	268	233	72	508
600	700	10 Ribs 42 Sqm MAXI700X600	358	272	248	68	540
600	800	10 Ribs 48 Sqm MAXI800X600	379	290	255	67	570



Frame RAL color -CO-



PVC FABRIC
up to 600 gr/Sqm



-PVC-



Fabric colors not in the collection -SUPTESS-



Premium PVC Storage Case -FODPVC5-

FRAME COLOR



-BI- -MA-

TYPE OF FABRIC



SUN

NAUTICAL HP

-ACR-

-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-



-BI- -MA-



-ACR-



-RES-

CUSTOM SIZES

Custom sizes for square/ rectangular parasols



-CONUMA-

CUSTOM SHAPES

Parasols with irregular shapes



-CONUMAC-

INCREASED HEIGHTS

Parasol heights exceeding standard



-SUPALT-


MOTORIZED VERSION

Automated opening and closing system with remote control.



-AAMP-

I VOLANT





CLASSIC VOLANT VARIANTS


TRANSFER LETTERING ON
VOLANT





MONOCHROME HEAT-SEALED
EXCLUDING GRAPHICS

	200 Cm	100 Cm
	25 Cm	25 Cm
	-SCLOGO200-	-SCLOGO100-

TRANSFERT LETTERING ON
SEGMENT



MONOCHROME HEAT-SEALED
ON SEGMENT
(inevitable slight fabric wrinkles),
EXCLUDING GRAPHICS

	80 Cm
	80 Cm
	-SCLOGO8080-


COMPLEX AND/OR COLORED
WRITINGS/LOGOS



GUTTER PREPARATION

With female Velcro hidden by fabric flap **OUTSIDE THE VOLANT.**

-APVELG-



SIDE WALLS PREPARATION


With female Velcro hidden by fabric flap **INSIDE THE VOLANT.**

-APVELP-



UNION GUTTER APPLIED WITH REMOVABLE ZIPPER AND VELCRO

Made of PVC, with slope, and applied externally to the skirts. Version with buckles available upon request for umbrellas not predisposed.




-GRO-



CENTRAL INTERSECTION CONE FOR 4 PARASOLS


Applied with bracket on a corner rib.




-CONO-

WINTER EQUIPMENT

SIDE WALLS



HEATERS






PREPARATION FOR HEATER'S CABLE PASSAGE



SUPPORT BASES

The base recommended in our price list takes into account the square meters of the parasol and a theoretical overturning coefficient of approximately 50 km/h with constant wind. Such recommendation does not constitute any guarantee by the manufacturer, as it is indeed difficult to measure whether there are gusts in a specific location. Therefore, **it is always recommended to close the parasol in case of bad weather**. In particularly windy areas, we always advise securing the parasol to the ground.

BASE + PLATES CONFIGURATIONS


		
UP TO 25 SQM	DA 25 A 36 SQM	OVER 36 SQM
BASE 84X84 CM	BASE 104X104 CM	BASE 104X104 CM
20 PLATES 40x40 Cm	20 PLATES 50x50 Cm	40 PLATES 20x50x50 Cm 20x40x40 Cm

ARTICULATED SUPPORT BASE





Galvanized and painted steel




UP TO 25 SQM







CODE
-BAP838320-

	
23 Cm	+ 23 Cm
	
35 Kg	89x85 x26 Cm

OVER 25 SQM



CODE
-BAP10310320-

	
23 Cm	+ 23 Cm
	
45 Kg	109x105 x26 Cm

COLOR



White
-BIM-



Manganese
-MAM-



Ral Selection
-COM-

WASHED STONE PLATES



SET OF 20 PLATES

40x40 Cm	4 Cm	300 Kg	120x80 x33Cm

CODE -LAS20X40-

FOR BASE 84X84 CM

SET OF 20 PLATES

50x50 Cm	4 Cm	420 Kg	120x100 x33Cm

CODE -LAS20X50-

FOR BASE 104X104 CM

SET OF 40 PLATES

50x50+ 40x40 Cm	4 Cm	720 Kg	120x100 x66 Cm

CODE -LAS40X50-


FOR BASE 104X104 CM

LOW FURNITURE - BASE COVER SEAT



- White
-BIM-
- Manganese
-MAM-
- Ral Selection
-COM-

FOR BASE 84X84




In **powder-coated aluminum** with rounded edges

38 cm	21 kg	89x85 x40 Cm

CODE -CAR85-

FOR BASE 104X104



38 cm	28 kg	109x105 x40 Cm


CODE -CAR105-

BASE COVER / SERVICE TABLE



- White
-BI-
- Manganese
-NE-
- Ral Selection
-CO-

FOR BASE 84X84




With **galvanized and painted steel** top and fabric walls

75/85 cm	21 kg	50x95 x35 Cm

CODE -BATAV84-

FOR BASE 104X104



75/85 cm	27 kg	60x115 x35 Cm

CODE -BATAV104- **€ 1.105**

PALLET TRUCK

Base prepared for movement with a pallet truck. (Pallet truck not included)



+ 23+10 Cm	+ 5 Kg

CODE -SUPTRANS-

€ 250

WHEELS SET

Preparation of bases for moving parasols up to 25sqm with wheels.



+23+13 Cm	4 Kg

CODE -WHEELS2-

€ 350

FIXING BASES

THE USE OF ANCHOR BLOCKS presupposes a careful evaluation of the conditions of the surface to be drilled. We strongly recommend carrying out core drilling beforehand to check the presence and thickness of uncracked concrete.

We do not recommend fixing with anchors on other types of surfaces such as asphalt, pavé, on terraces, garage floors, etc. even if helped by the chemist. Check the absence of electrical cable pipes or insulating sheaths in the ground before drilling.

JOINTED BASE FOR STANDARD FIXING




White
-BI-



Manganese
-MA-



Ral Selection
-CO-



In galvanized and painted steel.
Plugs from 10 to 12 mm of variable length (not supplied).

35
cm


+1
cm

8
kg

33x27
x40 Cm

CODE -BFP2530-

BASE COVER FOR ARTICULATED BASE




White
-BI-



Manganese
-MA-



Ral Selection
-CO-



For standard fixing base.
Necessary if you purchase bottom-powered LEDs.

6
cm


3
kg

33x22
x10 Cm

CODE -CAR40-



3-COMPONENT BURIED SET



In painted steel.
Base for core drilling



+ 2
cm



12
kg



33x30
x42 Cm

CODE -BACRT3-

SET OF 6 LONG BOLTS

THE USE OF ANCHOR BOLTS embedded in non-cracked concrete casting is always the optimal solution. It is recommended to create a plinth proportionate to the size of the parasol.



To be embedded in a non-cracked concrete casting of variable dimensions depending on the size of the parasol and the installation site for an articulated base for fixing to the floor



12
mm



45
cm



5
kg



30x50
x5 Cm

CODE -TIRM6-

FIXING PLATE

WITH WOODEN PLATFORM/LOWER CAST




White
-BI-




Manganese
-MA-



Ral Selection
-CO-



In **galvanized and painted steel** with 10 to 12 mm
dowels of variable length **not supplied**.
Articulated base not included



35
cm

+1
cm

45
kg

120x80
x12 cm

35
cm

+1
cm

80
kg

120x100
x12 cm

CODE -BAPI75ZFP-

CODE -BAPI100ZFP-



*The LEDs we use are Made In Italy and compliant
with the Ecodesign 2021 directives*



/ 100 cm LED bars in anodized
aluminum



/ IP/67 Waterproof 24V power supply



/ Warm light selected 2700 K
On request: cold light or RGB
light kit (color change - 24 V)



/ IP65 Waterproof 24 V 14 W/Mt



/ Wi-Fi receiver with remote
control, batteries, and dimmer
(light intensity adjustment)



/ Connector socket and plug 3p
Screw D5-12 IP66/IP68

*The length of the LED bars may be
shorter for certain parasol sizes.

MADE IN ITALY

/ POSITIONING




/ TOWARDS THE CANOPY

Recommended for a greater scenic effect on light-colored fabric.

STANDARD

- LEDUP -




/ DOWNWARD

Recommended for greater illumination on the floor area.

STANDARD

- LEDDOWN -




/ TOWARDS THE CANOPY + DOWNWARD

Independent lighting/intensity adjustment for above and below.

NOT -STANDARD

- LEDMIX -

4 BARS



POWER SUPPLY

(180x110x30 Mm)
Qty: 1, 60 Watt

CONSUMPTION


2.4 A

POWER

57.6 W

- VLD4X10060 -

8 BARS



POWER SUPPLY

(270x70x40 Mm)
Qty: 1,150 Watt IP/67

CONSUMPTION


4.8 A

POWER

115.2 W

- VLD8X10060 -

10 BARS



POWER SUPPLY

(270x70x40 Mm)
Qty: 1,240 Watt IP/67

CONSUMPTION


6 A

POWER

144 W

- VLD10X10060 -

12 BARS



POWER SUPPLY

(270x70x40 Mm)
Qty: 1,240 Watt IP/67

CONSUMPTION

7.2 A

POWER

172.8 W

- VLD12X10060 -



RGB LED ADD-ON INFORMATION AND TECHNICAL DATA SHEET AVAILABLE UPON REQUEST

/ POWER SUPPLY

**A - FROM THE TOP**

If the cable is coming from a wall of the room, the parasol can be opened and closed without unplugging the power plug.


-ALCAP-

B - FROM THE RIB

Power supply from one of the slats of the parasol (it is necessary to indicate which slat the power cable will come from).


-ALSTE-

ATTENTION! To close the parasol it will be necessary to unhook the power plug.


C - POLE ABOVE BASE

If the cable is coming from the floor, the parasol can be opened and closed without unplugging the power plug.

-ALPALU-

D - POLE UNDER BASE

Aesthetically better solution as long as there is space to carry out the wiring underneath the flooring (e.g. floating floors, platforms or wells). The parasol can be opened and closed without unplugging the power plug.



-ALPALD-

LITHIUM BATTERY FOR LED 24V



*Approximate duration with 4 1m LED bars kept at maximum power: 6h

SPECIAL 15Ah LITHIUM BATTERY KIT FOR 24V LED SYSTEMS

INDICATIVE MEASURES
10X10X40 CM




— **LEGEND** —

L = parasol side

1/2 L = half parasol side

D = Distance from walls/other elements

⚠ **MINIMUM 8 CM** ⚠



SEE PAGE 202 FOR RECOMMENDATIONS ON TAKING MEASUREMENTS



PACKAGING

PARASOL OPEN SIZE (Cm)	N° RIBS	WEIGHT (Kg)	PACKAGE DIMENSIONS	
SQUARED				
400x400	8	62	Cm 410x50x50	Kg. 13
450x450	8	66	Cm 500x50x50	Kg. 25
500x500	8	67	Cm 500x50x50	Kg. 25
550x550	8	67	Cm 500x50x50	Kg. 25
600x600	8	87	Cm 500x50x50	Kg. 25
600x600	12	97	Cm 500x50x50	Kg. 25
700x700	12	110	Cm 590x50x50	Kg. 25



RECTANGULAR				
500x400	8	66	Cm 500x50x50	Kg. 25
550x450	8	69	Cm 500x50x50	Kg. 25
600x300	8	69	Cm 500x50x50	Kg. 25
600x400	8	63	Cm 500x50x50	Kg. 25
600x400	10	68	Cm 500x50x50	Kg. 25
600x500	8	77	Cm 500x50x50	Kg. 25
600x500	10	82	Cm 500x50x50	Kg. 25
650x450	8	77	Cm 500x50x50	Kg. 25
650x450	10	82	Cm 500x50x50	Kg. 25
650x500	10	87	Cm 500x50x50	Kg. 25
700x400	10	74	Cm 500x50x50	Kg. 25
700x500	10	80	Cm 510x50x50	Kg. 25
700x600	10	102	Cm 560x50x50	Kg. 25
800x600	10	110	Cm 590x50x50	Kg. 25



Weights are indicative and exclude base and packaging.
Packaging weights and dimensions may vary without notice.

High-quality reinforced cardboard boxes with 2/3 layers.





Maxipro


Direttamente dai campi di regata

Poter governare così tanti metri quadri di vela con una semplice cima è davvero una sensazione unica. Maxipro è un ombrellone a palo centrale potente, elegante e dall'immagine esclusiva, il protagonista assoluto del vostro plateatico. È dotato di un sistema telescopico ad apertura autobilanciata che permette di aprire e chiudere l'ombrellone in modo facile e veloce senza spostare gli ingombri sottostanti utilizzando semplicemente una cima di tensionamento.

- FINO A 56,7mq / UP TO 56,7mq

Directly from the race courses

Being able to control so many square meters of sail with a simple rope is truly a unique sensation. Maxipro is a powerful, elegant, and exclusive-looking central pole parasol, the absolute protagonist of your outdoor area. It features a self-balancing telescopic system that allows you to open and close the parasol easily and quickly without moving any underlying obstacles, using just a tensioning rope.



400x400	450x450	500x500	550x550	600x600
700x700	500x400	550x450	600x300	600x400
600x500	650x450	650x500	700x400	700x500
700x600	800x600			

Palo da 150 mm / 150 mm pole

700x700	750x750	800x600	800x700	900x600
Ø800	Ø850			