

atriadesigns.ca



premier outdoor living • solar shading • cladding products

(604) 428 1818
sales@atriadesigns.ca



DAL 1960 OMBRELLONI PROFESSIONALI E DI DESIGN

VENICE - ITALY

Professional

Quando la qualità non pesa

Un ombrellone studiato appositamente per garantire robustezza ed affidabilità con pesi davvero contenuti. Progettato e realizzato per un utilizzo professionale risulta facilmente rimovibile e pratico da riporre a magazzino. Il sistema di apertura è semplice e affidabile grazie ad una carrucola nautica con sistema di bloccaggio rapido.

When quality is not a burden

A parasol specifically studied to ensure sturdiness and reliability, with truly reduced weights. Designed and built for professional use, it is easy to move and practical to store. The opening system is simple and reliable thanks to a nautical pulley with quick locking system.









PROFESSIONAL













Professional

Quando la qualità non pesa

Un ombrellone studiato appositamente per garantire robustezza ed affidabilità con pesi davvero contenuti. Progettato e realizzato per un utilizzo professionale risulta facilmente rimovibile e pratico da riporre a magazzino. Professional permette di non rinunciare alla qualità e alla durata anche con spazi e ingombri molto ridotti.

- FINO A 16mq / UP TO 16mq

When quality is not a burden

A parasol designed specifically to ensure strength and reliability with really low weights. Designed and built for professional use, it is easily removable and practical to store. Professional allows you not to compromise on quality and durability even with very small spaces and dimensions.



200x200

250x250

300x300

350x350

400x400

250x200

300x200

300x250

350x250

350x300


400x250

400x300

450x250

450x300

Disponibile anche in versione telescopica / Available also in telescopic version





DI SERIE


	Palo centrale Central pole		Telaio in lega di alluminio 6005 ad alta tenacità / High-tenacity 6005 aluminum alloy		Cuciture protette -WATER SAFE / Protected seams - WATER SAFE
	Bulloneria Acciaio Inox Stainless Steel Bolts		Sistema sgancio rapido delle stecche (EASY CLICK) Quick ribs uncoupling system (EASY CLICK)		Fodero di custodia Premium in PVC Premium PVC storage case
	Snodi in Nylon Nylon joints		Collano in nylon, inox, alluminio verniciato Collar in nylon, stainless steel, painted aluminum		Camino morbido Soft bellow
	Con o senza balza perimetrale / With or without perimetrical flounce		Apertura con carrucola nautica inox- carbonio e sistema di bloccaggio (EASY BLOCK) / Opening with stainless steel-carbon pulley and locking system (EASY BLOCK)		

BASI

	Da appoggio Support base		Per fissaggio To be fixed		Da interrare To be buried
--	-----------------------------	--	------------------------------	--	------------------------------

ACCESSORI

	LED System		Riscaldatori Heaters		Pareti laterali Side walls
	Grondaie Gutters		Applicazione logo Logo application		PROFESSIONAL TELESCOPICO per chiusura sopra i tavoli Telescopic system for closing above the tables



200 x 200	250 x 250	300x300*	350 x 350*
400 x 400*	250 x 200	300 x 200	300 x 250*
350 x 250*	350 x 300*	400 x 250*	400 x 300*
450 x 250*	450 x 300*		

* Anche in versione telescopica / Also in Telescopic version

PROFESSIONAL

When quality does not weight

A central pole parasol specifically designed to ensure strength and reliability with very lightweight construction

- Ideal for covering small to medium-sized spaces and outdoor seating areas up to **16 square meters**.
- Crafted with high-quality marine-grade materials and finishes.
- Easily removable and convenient for storage in warehouses.

• USAGE OCCASIONS



BAR &
ICECREAM
SHOPS



HOTEL &
RESORT



NAUTICAL



RESTAURANTS
& FAST FOOD



POOLS AND
BEACH
RESORTS



CATERING &
BANQUETTING




SKI &
MOUNTAINS



GARDENS &
TERRACES

• FEATURES



Opening with **stainless steel** AISI 316 nautical pulley with **easy block** locking system and polyester nautical rope.



Quick release system (**EASY CLICK**) for ribs for easy maintenance.



High-tensile epoxy powder-coated **aluminum alloy frame**, standard colors available in white or manganese.



Collar holders for ribs in **nylon** - **stainless steel** - **epoxy-coated aluminum**.



Protected seams (**WATER SAFE**) to reduce water leakage from the seams



Nylon arm-rib joints for increased strength and durability.




25cm VOLANT available



Stainless steel bolts and nuts



Central rounded pole in **aluminum** diameter 55x2 Mm



Premium PVC Storage Case






Radiated
aluminum 6005 profiles
30x15x2 Mm



Also available custom-made

PROFESSIONAL

		HEIGHT OPTIONS				FRAME COLOR	TYPE OF FABRIC	NAUTICAL HP			
		A	B	C	D	-BI-	-MA-	-UV-	-SUN-	-ACR-	-RES-
SQUARED		A	B	C	D						
 200		4 Ribs									
 200		4 Sqm	262	220	195	114	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 250		8 Ribs									
 250		6,25 Sqm	272	225	200	91	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 300		8 Ribs									
 300		9 Sqm	297	245	220	77	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 350		8 Ribs									
 350		12,25 Sqm	297	235	210	45	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 400		8 Ribs									
 400		16 Sqm	310	250	225	22	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
RECTANGULAR		A	B	C	D	-BI-	-MA-	SUN	NAUTICAL HP		
 250		6 Ribs									
 200		5 Sqm	267	225	200	101	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 300		6 Ribs									
 200		6 Sqm	272	225	200	85	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 300		8 Ribs									
 250		7,50 Sqm	277	228	200	102	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 350		8 Ribs									
 250		8,75 Sqm	297	240	223	77	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 350		8 Ribs									
 300		10,5 Sqm	297	235	210	58	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 400		8 Ribs									
 250		10 Sqm	287	230	205	45	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 400		8 Ribs									
 300		12 Sqm	295	238	215	40	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
 450		8 Ribs									
 250		11,25 Sqm	302	250	225	38	<input type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>

HEIGHT OPTIONS				FRAME COLOR	TYPE OF FABRIC	
	A	B	C	D	 UV  SUN  NAUTICAL HP  -RES-	
RECTANGULAR  450 300	8 Ribs 13,25 Sqm PRO450X300	300	246	215	30	-Bi- -MA-    



Wood type frame color -LE-



EXTRA PRICE
custom sizes for square/ rectangular
parasols
-CONUPRO-



Frame RAL color -CO-



CUSTOM SHAPES
for parasols with irregular shapes
-CONUPROC-



Fabric colors not in the collection -SUPTESS-




INCREASED HEIGHTS
for parasol heights exceeding standard
-SUPALT-



Premium PVC Storage Case -FODPVC-



| VOLANT




TRANSFER LETTERING ON VOLANT



MONOCHROME HEAT-SEALED
EXCLUDING GRAPHICS

\longleftrightarrow	200 Cm	\longleftrightarrow	100 Cm
$\uparrow\downarrow$	25 Cm	$\uparrow\downarrow$	25 Cm
-SCLOGO200-		-SCLOGO100-	

TRANSFERT LETTERING ON SEGMENT



MONOCHROME HEAT-SEALED
ON SEGMENT
(inevitable slight fabric wrinkles),
EXCLUDING GRAPHICS

\longleftrightarrow	80 Cm
$\uparrow\downarrow$	80 Cm
-SCLOGO8080-	


COMPLEX AND/OR COLORED WRITINGS/LOGOS



GUTTER PREPARATION

With female Velcro hidden by fabric flap **OUTSIDE THE VOLANT**.

-APVELG-



SIDE WALLS PREPARATION


With female Velcro hidden by fabric flap **INSIDE THE VOLANT**.

-APVELP-



UNION GUTTER APPLIED WITH REMOVABLE ZIPPER AND VELCRO

Made of PVC, with slope, and applied externally to the skirts. Version with buckles available upon request for umbrellas not predisposed.




-GRO-




CENTRAL INTERSECTION CONE FOR 4 PARASOLS

Applied with bracket on a corner rib.



-CONO-

WINTER EQUIPMENT



SUPPORT BASES

The base recommended in our price list takes into account the square meters of the parasol and a theoretical overturning coefficient of approximately 50 km/h with constant wind. Such recommendation does not constitute any guarantee by the manufacturer, as it is inde-

ed difficult to measure whether there are gusts in a specific location. Therefore, **it is always recommended to close the parasol in case of bad weather**. In particularly windy areas, we always advise securing the parasol to the ground.

PLATE BASE WITH ROUNDED CORNERS

Painted stainless steel tube

Galvanized and painted plate
height 1/0,8 cm

UP TO 10 SQM

75x75x1
Cm

CODE -BAPI7575-

54
Cm

45
Kg




OVER 10 SQM

100x100x0,8
Cm

CODE -BAPI100100-

54
Cm

65
Kg



COLOR

White
-BI-Manganese
-MA-Brown
-LE-Ral Selection
-CO-

GRANITE BASE WITH HANDLES



UP TO 10 SQM

Reinforced with a steel disk and
galvanized steel tube

59
cm58
cm+10
cm50
kg60x60
x13 Cm

CODE -BAGR5950-

DEMOUNTABLE BASE




Made of **galvanized steel**.
Designed to accommodate 4 washed stone plates.

100x100 cm	+4 cm	5 kg	15x15 x100 Cm

CODE -BAP1001004-

SET OF 4 PLATES

IN WASHED STONE



Set of 4 washed stone plates for demountable base

+4 cm	80 kg	120x80 x33 Cm

CODE -LAS4X50-



FIXING BASES

THE USE OF ANCHORING DOWELS presupposes a careful evaluation of the conditions of the surface to be drilled, which must be at least 200x200x20 cm in size. We highly recommend performing a core drilling in advance to check for the presence and thickness of uncracked concrete.

We do not recommend anchoring with dowels on other types of surfaces such as asphalt, cobblestones, on terraces, garage floors, etc., even with the help of chemical adhesives. Please verify the absence of pipes, electrical cables, and insulation sheaths in the ground before drilling.

GROUND FIXING BASE

White -BI- Manganese -MA- Brown -LE- Ral Selection -CO-

Painted stainless steel tube



25x25
Cm

Galvanized and painted **steel** with
painted **stainless steel** tube.





Anchors not provided (Diameter ranging from 10 to 12 mm with variable length).

35 cm	+1 cm	8 kg	33x22 x40 Cm

CODE -BFPROF25-

BURIED SET WITH ANTI-THEFT FEATURE

Painted stainless steel tube



THE SET INCLUDES

White -BI- Manganese -MA- Brown -LE- Ral Selection -CO-

A. Galvanized **steel** tube (bottom part for burying).

Ø 65x295x1.5 Mm

B. Painted **stainless steel** tube with Ø 60x850x1.5 mm

C. **Stainless steel** pin with Ø 10.5 mm hole, padlock not provided

85 cm	4 kg	20x15 x90 Cm

CODE -BAINOX-

The hole on the stainless steel tube (B) will be drilled on-site using a 10.5 mm drill bit once the parasol is installed and the desired angle is adjusted.







The LEDs we use are Made In Italy and compliant with the Ecodesign 2021 directives



/ 100 cm LED bars in anodized aluminum



/ Warm light selected 2700 K
On request: cold light or RGB light kit (color change - 24 V)



/ Wi-Fi receiver with remote control, batteries, and dimmer (light intensity adjustment)



/ IP67 Waterproof 24V power supply



/ IP65 Waterproof 24 V 14 W/Mt



/ Connector socket and plug 3p
Screw D5-12 IP66/IP68

*The length of the LED bars may be shorter for certain parasol sizes.


MADE IN ITALY

/ POSITIONING



/ TOWARDS THE CANOPY

Recommended for a greater scenic effect on light-colored fabric.



/ DOWNWARD

Recommended for greater illumination on the floor area.



/ TOWARDS THE CANOPY + DOWNWARD

Independent lighting/intensity adjustment for above and below.

STANDARD

- LEDUP -


STANDARD

- LEDDOWN -

NOT -STANDARD

- LEDMIX -

4 BARS




POWER SUPPLY
(180x110x30 Mm)
Qty: 1, 60 Watt

CONSUMPTION
2.4 A

POWER
57.6 W

- VLD4X10060P -

6 BARS




POWER SUPPLY
(270x70x40 Mm)
Qty: 1, 150 Watt IP/67

CONSUMPTION
3.6 A

POWER
86.4 W

- VLD6X10060P -

8 BARS



POWER SUPPLY
(270x70x40 Mm)
Qty: 1, 150 Watt IP/67


CONSUMPTION
4.8 A

POWER
115.2 W

- VLD8X10060P -



RGB LED ADD-ON INFORMATION AND TECHNICAL DATA SHEET AVAILABLE UPON REQUEST

**A - FROM THE TOP**

If the cable is coming from a wall of the room, the parasol can be opened and closed without unplugging the power plug.

-ALCAP-

B - FROM THE RIB

Power supply from one of the slats of the parasol (it is necessary to indicate which slat the power cable will come from).

-ALSTE-

ATTENTION! To close the parasol it will be necessary to unhook the power plug.

C - POLE ABOVE BASE

If the cable is coming from the floor, the parasol can be opened and closed without unplugging the power plug.

-ALPALU-

/ BATTERY-POWERED LED LIGHTING SYSTEM




4X LED BARS

1X CONNECTOR CABLE

1X BATTERY

1X BATTERY CHARGER

1X REMOTE CONTROL



Available for separate purchase. Easy to install.



The LEDs we use are **MADE IN ITALY** and compliant with the Ecodesign 2021 directives.

A complete and practical lighting system that can be easily installed on the parasol pole thanks to two velcros, and removable at any time, with a maximum duration of over 8 hours.



1x
Battery



Protection:
IP51



Warm white
2700k



Power supply
18 V






LED power
15 Watt

BATTERY-POWERED LED KIT 75CM

— LEGEND —

L = parasol side
D = Distance from walls/other elements
⚠ MINIMUM 8 CM ⚠



⚠ SEE PAGE 202 FOR RECOMMENDATIONS ON TAKING MEASUREMENTS ⚠

PACKAGING

PARASOL OPEN SIZE (Cm)	Nº RIBS	WEIGHT (Kg)	PACKAGE DIMENSIONS				
			SINGOL				
SQUARED							
200x200	4	10	Cm 310x30x30	Kg. 4,5	UP TO 5 PZ.	Cm 300x50x50	Kg. 10
250x250	8	16	Cm 310x30x30	Kg. 4,5	UP TO 5 PZ.	Cm 300x50x50	Kg. 10
300x300	8	18	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
350x350	8	21	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
400x400	8	25	Cm 310x30x30	Kg. 4,5	UP TO 3 PZ.	Cm 350x50x50	Kg. 11,5
RECTANGULAR							
250x200	6	11	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
300x200	6	15	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
300x250	8	17	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
350x250	8	18	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
350x300	8	20	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
400x250	8	20	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
400x300	8	21	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
450x250	8	23	Cm 310x30x30	Kg. 4,5	UP TO 4 PZ.	Cm 300x50x50	Kg. 10
450x300	8	23	Cm 350x50x50	Kg. 13	UP TO 4 PZ.	Cm 350x50x50	Kg. 11,5

**Weights are indicative and exclude base and packaging.
Packaging weights and dimensions may vary without notice.**

High-quality reinforced cardboard boxes with 2/3 layers.





Gaggio Srl

GAGGIO.NET

Si ringraziano tutti gli hotel, ristoranti e strutture ricettive che hanno collaborato con foto referenze alla creazione di questo catalogo. Thanks to the hotels, restaurants and accommodations that cooperated with photo references to the creation of this catalogue.